


TABLE OF CONTENTS

Ground Glass Joints 2

Ground Glass Joints



Bends with 2 cones ground joint size 29/32

Item number:
41026

DURAN® borosilicate glass 3.3

Item No.	Version
41026010	bent at 75 °

[» go to product \(website\)](#)



Still heads

Item number:
41029

DURAN® borosilicate glass 3.3, with 2 cones and 1 socket

Item No.	Socket	Cones
41029010	Joint size 14/23	Joint size 29/32

[» go to product \(website\)](#)




Claisen still heads

Item number:
41033

DURAN® borosilicate glass 3.3, with 2 cones, thermometer socket and extra socket (boiling capillary)

Item No.	Sockets	Cones
41033010	Joint size 14/23	Joint size 29/32

[» go to product \(website\)](#)




Receiver adapters

Item number:
41036

DURAN® borosilicate glass 3.3, bent

Item No.	Socket
41036010	joint size 29/32

[» go to product \(website\)](#)



Distilling flasks

Item number:
41037

made of borosilicate glass 3.3, with side tube

Item No.	Capacity	Length of side tube
41037008	100 ml	approx. 200 mm
41037016	250 ml	approx. 200 mm
41037024	500 ml	approx. 200 mm
41037032	1000 ml	approx. 250 mm

[» go to product \(website\)](#)



Cones with standard ground

Item number:
42382

DIN 12242, DURAN® borosilicate glass 3.3, reinforced ground joint, solid rim, joint size permanently marked, form B

Item No.	Joint size
42382014	14/23
42382019	19/26
42382024	24/29
42382029	29/32
42382034	34/35
42382045	45/40

[» go to product \(website\)](#)



Sockets with standard ground

Item number:
42383

DIN 12242, DURAN® borosilicate glass 3.3, reinforced ground joint, solid rim, joint size permanently marked, form E

Item No.	Joint size
42383014	14/23
42383019	19/26
42383024	24/29
42383029	29/32
42383034	34/35
42383045	45/40

[» go to product \(website\)](#)



Cones with standard ground and extension at bottom

Item number:
42384

DIN 12242, DURAN® borosilicate glass 3.3, reinforced ground joint, solid rim, joint size permanently marked, form G

Item No.	Joint size
42384014	14/23
42384024	24/29
42384029	29/32

[» go to product \(website\)](#)



Clips made of polyoxymethylene (POM)

Item number:
42386

for conical ground joints, heat-resistant up to approx.
+150 °C/+302 °F

Item No.	Colour	for
42386010	green	joint size 10/19
42386012	purple	joint size 12/21
42386014	yellow	joint size 14/23
42386019	blue	joint size 19/26
42386024	green	joint size 24/29
42386029	red	joint size 29/32
42386034	orange	joint size 34/35
42386040	yellow	joint size 40/38
42386045	brown	joint size 45/40

[» go to product \(website\)](#)



Reduction and expansion adapters

Item number:
42387

DIN 12257, DURAN® borosilicate glass 3.3, reinforced ground joint, solid rim

Item No.	Socket	Cone
42387001	Joint size 14/23	Joint size 19/26
42387002	Joint size 14/23	Joint size 24/29
42387003	Joint size 14/23	Joint size 29/32
42387004	Joint size 19/26	Joint size 24/29
42387005	Joint size 19/26	Joint size 29/32
42387006	Joint size 29/32	Joint size 45/40
42387007	Joint size 24/29	Joint size 34/35
42387008	Joint size 19/26	Joint size 14/23
42387009	Joint size 24/29	Joint size 14/23
42387010	Joint size 29/32	Joint size 14/23
42387011	Joint size 24/29	Joint size 19/26
42387012	Joint size 29/32	Joint size 19/26
42387013	Joint size 29/32	Joint size 24/29
42387014	Joint size 45/40	Joint size 29/32

[» go to product \(website\)](#)



Sleeves for ground joints and stoppers, disposable

Item number:

42388

made of PTFE, self-lubricating

The sleeves prevent the ground joints from sticking together.

Outstanding chemical resistance at temperatures
from -200 °C to $+260\text{ °C}$ (from -328 °F to $+500\text{ °F}$),

thickness approx. 0.05 mm

Packing: 10 pieces

Item No.	for
42388010	joint size 14/23
42388019	joint size 19/26
42388024	joint size 24/29
42388029	joint size 29/32
42388045	joint size 45/40

[» go to product \(website\)](#)

Index

B

Bends with 2 cones ground joint size 29/32 1

C

Claisen still heads 2

Clips made of polyoxymethylene (POM) 8

Cones with standard ground 5

Cones with standard ground and extension at bottom 7

D

Distilling flasks 4

R

Receiver adapters 3

Reduction and expansion adapters 9

S

Sleeves for ground joints and stoppers, disposable 10

Sockets with standard ground 6

Still heads 2